

Google scholar navigation select display view tree OR OR OR Search [Advanced Scholar Search](#) [Scholar Preferences](#)

Scholar Articles and patents ▾ - 2001 Include citations ▾ Results 1 - 30 of abc

[PDF] A visualization concept for **hierarchical** object models

S Berner, S Joos, M Glinz, M Arnold, S ... - Proceedings 13th IEEE ..., 1998 - Citeseer
 ... For any object in the **view**, we can freely **select** the degree of detail to be visu- alized, independently of the ... For logical **navigation**, we use selective zooming ... Addition- ally, we provide conventional scaling and scrolling naviga- tion for views which are larger than the **display** screen ...
[Cited by 13](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

Dynamic **navigation** in multiple **view** software specifications and designs

E O'Hara-Schettino, H Gomaa - The Journal of Systems & Software, 1998 - Elsevier
 ... **Select** the building blocks. ... To illustrate **navigation** using the DNS, an example session through the multiple views of the Payroll System application shown in Fig ... User selections are indicated by an outlined number such as 1. A DNS **display** is indicated by an outlined number and ...
[Cited by 2](#) - [Related articles](#) - [All 4 versions](#)

Performance evaluation of software architectures

LG Williams, CU Smith - ... of the 1st international workshop on ..., 1998 - portal.acm.org
 ... The use of SPE at the architectural design phase can help developers **select** a suitable architecture. ... The top-right **navigation** ... ie, no contention, $992.329 < 2.70 < 5.14$ $0.272 \approx 7.57 < 10.00$ 10.00 Resource Usage 0214 0 198 CPU 990.078 DEVs 2 052 **Display** 1.270 ...
[Cited by 100](#) - [Related articles](#) - [All 11 versions](#)

[PDF] Task Filtered **Display** of Functional Diagrams for Flightline Maintenance

JL Wampler, HE Directorate, LR Branch - 1998 - dtic.mil
 ... The schematic diagrams are at a relatively high level and **display** component to component ... Situation Indicator Ben Anionics Computer Side Stick Controller EDIU MUX Bus **Select** a component ... a content region, a message line and function keys used for **navigation** through the ...
[Related articles](#) - [All 4 versions](#)

Modular product architecture

JB Dahmus, JP Gonzalez-Zugasti, KN Otto - Design Studies, 2001 - Elsevier
 ... Font Size: Decrease Font Size Increase Font Size. Article. Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. **PDF** (861 K). ... **View** Within Article. ... That is, a design team must **select** specification values for each function in each product. ...
[Cited by 156](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

Disorientation in hypermedia environments: Mechanisms to support **navigation**

P Dias, MJ Gomes, AP Correia - Journal of Educational Computing ..., 1999 - Baywood
 ... not knowing where to go, not knowing where we are, and finding difficult to **select** the next ... this context, the fish-eye diagrams appear as an alternative to the conventional **navigation** maps. ... and the user's current focus of interest, and it should be possible to **display** the information ...
[Cited by 53](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

GRAFFIC: A computer package for the interactive graphical representation of fluid- ...

NC Markatos, CA Pericleous - Advances in Engineering Software (1978), 1983 - Elsevier
 ... Furthermore, all **display** media currently available are two-dimensional, and the many-to-one nature of the ... **Select** phase to be plotted (prompt '**SELECT PHASE**') **Select** type of plot (prompt '**SELECT OPTION**') The ... 2 Figure 11 presents, in perspective **view**, plots of stream- lines. ...

[Cited by 3](#)

Knowledge management through multi-perspective modelling: representing and ...

J Kingston, A Macintosh - Knowledge-Based Systems, 2000 - Elsevier

... Article. Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. **PDF** (142 K). ... Full-size table (20K). **View** Within Article. ... from psychology and knowledge engineering which are designed for representing knowledge usually **display** a single ...

[Cited by 57](#) - [Related articles](#) - [All 13 versions](#)

The ADORA Approach to Object-Oriented Modeling of Software

M Glinz, S Berner, S Joos, J Ryser, N Schett, ... - Lecture Notes in ..., 2001 - Springer

... We achieve separation of concerns in two ways: (1) We decompose the model hierarchically, thus allowing the user to **select** the focus and the level of ... we allow the modelers to represent an A DORA model on any level of abstraction, from a very high-level **view** of the ... **display** ...

[Cited by 26](#) - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)

A matrix editor for a metaCASE environment

S Kelly - Information and Software Technology, 1994 - Elsevier

... In the second dialog, the user can **select** formatting for all the various elements of the axis ... Some operations in the body of the matrix, for instance Table 2. Element **display** options Symbol ... study' Data Base (Spring 1979) pp 1017 18 Vepsil iinen, APJ 'A relational **view** of activities ...

[Cited by 9](#)

Drawing on the Back of an Envelope: a framework for interacting with application ...

MD Gross, EYL Do - Computers & Graphics, 2000 - Elsevier

... For example, if the designer draws a circle in a paint program, it may be difficult to **select** the circle and perform geometric ... The XLibris system [34] integrates pen-based input with a lightweight **display** for annotating text; it uses an ink-based recognition scheme ... **View** Within Article. ...

[Cited by 59](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

Representation construction, externalised cognition and individual differences

R Cox - Learning and Instruction, 1999 - Elsevier

... Article. Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. **PDF** (901 K). ... **View** Within Article. ... A general rule seems to be **select** a representation with sufficient expressive power to capture the indeterminacy 3 in the problem, but not more ...

[Cited by 139](#) - [Related articles](#) - [All 3 versions](#)

Advanced VRML based chemistry applications: A 3D molecular hyperglossary

O Casher, C Leach, CS Page, HS Rzepa - Journal of Molecular Structure: ..., 1996 - Elsevier

... might predict that aromatic CH0 interactions, as analyzed from the Cambridge Database, would also **display** a prefer ... region contains a hyperlink to a subset of data, which the user can **select** by clicking ... Full Text via CrossRef | **View** Record in Scopus | Cited By in Scopus (247). ...

[Cited by 13](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

Archaeological data models and web publication using XML

JD Schloen - Computers and the Humanities, 2001 - Springer

... by dumping idiosyncratically structured datasets without modification on the Internet, because **navigation** and querying of ... diagram to **select** automatically the items that are to be drawn together on a ... database may be filtered into named classes of items for **display** and analysis in ...

[Cited by 21](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

Developing formal object-oriented requirements specifications: a model, tool and ...

RB Jackson, DW Embley, SN Woodfield - Information Systems, 1995 - Elsevier

... To do this, we could just successively **select** several of the object classes and relationship sets and use ... is a relationally complete, graphical query language, however, we can also use it to more

directly **display** the results of ... [6]. B. Czejdo and DW Embley, **View** specification and ...

Cited by 10 - Related articles - BL Direct - All 4 versions

Evolving the web-based distributed si/pdo architecture for high-performance ...

VP Holmes, JM Linebarger, DJ ... - ANNUAL ..., 2001 - doi.ieeecomputersociety.org

... Interaction and **Navigation** ... This is necessary because the user must use the GUI to **select** a **file** on the server's **file** system. ... But the command processor can also open the Exodus **file**, read the meta-data, and send it to the GUI for **display**. ...

Cited by 7 - Related articles - BL Direct - All 12 versions

Application of younging tables to the construction of relative deformation histories ...

GJ Potts, SM Reddy - Journal of Structural Geology, 2000 - Elsevier

... Article. Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. **PDF** (3461 K). ... The extension fractures **display** three orientations labelled a–c and the shear fractures **display** two orientations labelled a and b. Fractures of a ... **View** Within Article ...

Cited by 4 - Related articles - BL Direct - All 5 versions

10 Analytica: A Software Tool for Uncertainty Analysis and Model Communication

N Kalatin - Uncertainty: A Guide to Dealing with Uncertainty in ..., 1990 - books.google.com

... When you are composing the definition, you can **select** from the inputs list to enter the variable ...

1. **Navigation** of a Module Hierarchy Analytica provides a number of aids to help people navigate ...

A click on a little triangle next to a module name will **display** the module's contents as ...

Related articles - All 3 versions

Acquiring qualitative knowledge about complex agroecosystems. Part 1: ...

FL Sinclair, DH Walker - Agricultural systems, 1998 - Elsevier

... This shift from literal record to interpretation is consistent with a changing **view** of the knowledge ... previous definition I IF effect previous definition Redefine define ne Collate and **display** all set of ... 360 FL Sinclair, DH Walker and search strings of keywords that would **select** sets of ...

Cited by 37 - Related articles - BL Direct - All 5 versions

Statistical validation of simulation models

JPC Kleijnen - European Journal of Operational Research, 1995 - Elsevier

... area becomes 'lighted' or 'insonified', so objects within that area may become visible on a sonar **display**. ... Based on the regression model with (say) Q effects, **select** an experimental design, that is, a ... p and q for scenario S, for mine i. bers to sample **navigation** errors, spurious con ...

Cited by 49 - Related articles - All 8 versions

[PDF] Evaluation of workbenches which support the CommonKADS methodology

JKC Kingston, JG Doherty, IM Filby - Knowledge Engineering Review, 1995 - Citeseer

... obtain data from cookbook Ingredient: recipe **display** list of ingredients Ingredient: required ingredients ... In addition, it is recommended that an abstract **view** on the domain knowledge is created. Page 11. ... requires Kappa objects Kappa command **select**#3 requires implemented by ...

Cited by 9 - Related articles - View as HTML - BL Direct - All 4 versions

The ControlShell component-based real-time programming system, and its ...

S Schneider, V Chen, J Steele, G Pardo- ... - ACM Sigplan ..., 1995 - portal.acm.org

... ControlShell makes no attempt to define **hierarchical** inter- faces, but rather strives to provide a sufficiently generic software platform to allow the exploration ... This is fairly large-grained **view** of the world. ... The next step is to implement the action routines, or **select** them from a library ...

Cited by 8 - Related articles - BL Direct - All 8 versions

[BOOK] Handling collaborative diagram databases on the WWW.

XM Shou - 2000 - Citeseer

... 169 7.1.2 Version Management and **Navigation** 171 ... 8 Page 17. To provide more direct and flexible

access to **view** 3D images of molecular structures ... [JMVS00] has been developed to **display** pdb files directly on the Web without the need for users to install any software. ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

An architectural connectivity metric and its support for incremental re-architecting of ...

RJ Brill, A Postma - IEEE Transactions on Software, 2001 - doi.ieeecomputersociety.org

... it may lead to structures which are awkward, from the point of **view** of an ... thousands of entities, it is not meaningful to show the module architecture in a **single diagram**. ... architectural entities (ie, subsystems, components, modules and files), organized in an unbalanced **tree** with a ...

[Cited by 7](#) - [Related articles](#) - [All 5 versions](#)

Why are some diagrams easier to work with? Effects of diagrammatic ...

J Hahn, J Kim - ACM Transactions on Computer-Human Interaction (...), 1999 - portal.acm.org

... This kind of analysis usually involves the integration of multiple processes to obtain a comprehensive **view** of the overall processes [Davenport ... in separate diagrams (ie, analysis), and finally externalize the integrated process correctly in the form of a **single diagram** depicting ...

[Cited by 39](#) - [Related articles](#) - [5L Direct](#) - [All 10 versions](#)

[PDF] Statistical validation of simulation models: a case study

JPC Kleijnen - European Journal of Operational Research, 1995 - arno.uvt.nl

... a certain area becomes 'lighted' or 'in-sonified', so objects within that area may become visible on a sonar **display**. ... iii) The ship's course (including **navigation** error ... Based on the regression model with (say) Q effects, **select** an experimental design, that is, a combination of (say) n ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[PDF] Implementing C4ISR Architecture Framework—An Australian Case Study

P Prekop, G Kingston - ... Command and Control Research and technology ..., 2001 - CiteSeer

... 2.3.1 Step 3.1 **Select** the operational nodes; devise and represent the command hierarchy ... Forms can also be used to **display** the results of queries. ... Framework also provided support for completeness checking, **navigation** through the architecture, and incorporating data from ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

Automating probabilistic environmental decision analysis

AA Jennings, PA Nagarkar - Environmental Software, 1995 - Elsevier

... PDA will **display** SW information in one or several forms: (1) sensitivity for a specified alternative n ... ENTER **SELECT**ION (lf2t3 4 OR 0): 4 ENTER THE PERCENTAGE AMOUNT BY WHICH TO PERTURB THE ... Full Text via CrossRef | **View** Record in Scopus | Cited By in Scopus (0 ...

[Cited by 4](#) - [Related articles](#) - [All 3 versions](#)

[PS] Interaction and Context in Zoomable User Interfaces

S Pook - École Nationale Supérieure des Télécommunications. ..., 2001 - infres.enst.fr

... Abstract Many interactive computer systems use menus as an important part of their interface. Menus allow users to **select** operations but not to control their execution. ... 84 4.1.7 Hyperbolic **Display** 161 6.1.1 **Navigation** and Interaction

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

Symbolic analysis of Feynman diagrams by computer* 1

JA Campbell, AC Hearn - Journal of Computational Physics, 1970 - Elsevier

... In those cases, one is generally not interested in calculation because of a naive **view** of perturbation ... 1.0 A specification in terms of a conditional expression may be used to **display** the very ... Then, after the INOUT declaration above, suppose that we **select** PI and KI as labels for ...

[Cited by 12](#) - [Related articles](#) - [All 5 versions](#)

Result Page: 1 2 **Next**

navigation select display view tree C Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google